




THIS DOCUMENT IS THE PROPERTY OF KEystone ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEystone ELECTRONICS CORP.



- NOTE:
1. THIS RETAINER IS DESIGNED TO FIT BATTERIES HAVING A DIA. OF 6.8mm AND WITH HEIGHTS FROM 2.00 TO 2.2mm
  2. HEAT TREAT TO SPRING TEMPER.
  3. FINISH IS 90/10 TIN LEAD (BRIGHT) PLATE OVER NICKEL PLATE (2)
  - \*4. TAPE IS 24mm WIDE WITH A PITCH OF 12mm. REEL DIA. IS 13" WITH 1250 PIECES PER REEL
  5. LEAD LENGTH IS 400mm

<b>KEYSTONE ELECTRONICS CORP.</b> ASTORIA, N.Y. 11105-2017			
PART NAME COIN CELL RETAINER			
MATERIAL .010 [.25] SPRING STEEL			
FINISH AS NOTED		DRN BY LARRY	DATE 1/8/98
		APP'D <i>[Signature]</i>	SCALE 2.5X
TOLERANCES- INCH (MM)	CODE	DWG NO.	
DECIMAL ±.005 [±0.15]	C	9-3000-GSM	
ANGULAR ± 1/2°			
UNLESS OTHERWISE SPECIFIED			

10/9/98	ADD NOTE #5 & NEC P/N, EDIT #1	E
9/11/98	(2) WAS .071, ADD "BRIGHT" TO PL.	D
5/21/98	REDESIGNED, ADDED CHART, TAPE & REEL SPECIFICATIONS	C
4.1.98	ADD TIN LEAD PLATE. WAS NICKEL	B
3/10/98	REMOVE HOLES, (1) WAS .072	A
DATE	DESCRIPTION	REV.