


THIS DOCUMENT IS THE PROPERTY OF
KEYSTONE ELECTRONICS CORP. AND
SHALL NOT BE REPRODUCED, DISTRIBUTED
OR USED AS A BASIS FOR MANUFACTURE
WITHOUT PRIOR WRITTEN PERMISSION
FROM KEYSTONE ELECTRONICS CORP.



NOTE:

1. ALL INSIDE BEND RADII TO BE $.032$ UNLESS OTHERWISE SPECIFIED.
2. PART MUST BE FREE OF ALL BURRS AND SHARP EDGES.
3. HEAT TREAT TO SPRING TEMPER
4. NICKEL PLATE OVER COPPER
5. TIN PLATE $.000100$ MIN.

KEYSTONE ELECTRONICS CORP. ASTORIA, N.Y. 11105-2017			
PART NAME SMT BATTERY CLIP			
MATERIAL .010 TH'K ANNEALED SPRING STEEL			
FINISH AS NOTED		DRN BY LARRY	DATE 6/20/03
		APP'D LN	SCALE 3X
TOLERANCES DECIMAL $\pm .010$ [\pm] ANGULAR $\pm 1^\circ$ UNLESS OTHERWISE SPECIFIED		CODE C/M	DWG NO. 9-55-HON

12/30/03	REMOVE DIMPLE	B
7/21/03	DIMPLE $.260$ WAS $.200$ ①	A
DATE	DESCRIPTION	REV.